



C&S ELECTRIC LIMITED

REGISTERED OFFICE: 210, 211 & 212, 2nd Floor, Salcon Aurum Building, Plot No. 4, Jasola District Centre, New Delhi-110 025 (INDIA)

Ph.: (+91-11) 6922 5600 E-mail: info@cselectric.co.in

CENTRAL MARKETING OFFICE: C-60, Wing-A, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh - 201305 (INDIA)

Ph.: (+91-120) 3874800/01 E-mail: cmo@cselectric.co.in

Visit us at: www.cselectric.co.in



elusio
SWITCHES
Born Green





Elusio Green



**Nature is pristine,
let's keep it that way.**



Champagne

Respect nature,
respect divine.




White

**We call nature mother
for a reason.**



**Nature is our provider.
We must be its guardians.**





**The environment we get
is the environment we deserve.**





Presenting



A style statement. A pro-environment statement.

Available in White, Elusio Green, Champagne,
Dark Grey, Charcoal Black

Elusio is a range of modern switches, that is born green. Environment friendly and made out of recyclable materials, the switches are also ROHS compliant. Available in five striking colors, they add a dash of contemporary style to your decor and give you the joy of doing your bit for the environment.


**30% more switch.
3 times more switching.**



Broader switch base and better product depth

- Product durability
- No need to worry for years to come
- Brass terminals for long life
- Easy big gripping knob for control devices

T & C apply.



The 'Born Green' philosophy of C&S Electric is committed to reduce the carbon footprint and combat global warming across all its operations and procedures. The Restriction of Hazardous Substances (RoHS) regulations set limits for the use of following substances



- Lead (Pb)
- Cadmium (Cd)
- Mercury (Hg)
- Hexavalent Chromium (Cr+6)
- Specified Brominated Flame Retardants (PBB, PBDE)
- Phthalates - Four kinds: (OEHP, BBP, DBP)

Switch - Anti Weld Moving Contact

"AgCdO" bimetal rivets increase resistance to welding and erosion. Brass moving terminal prevents rusting and better dimensional stability for longer.

Arc Shield Design

Arc Shield Design for suppressing the arc visibility with minimal contact gap.




Low Operational Sound

Switches operate with low noise



Flame Retardant

Made of materials that prevent the start or spread of fire




Shock-proof


Safety Shutter

Minimises the risk of electric shocks.

Smooth insertion and extraction of plugs.



Luxurious & Sleek Design




Made to blend in
with a contemporary
lifestyle



Robust Plate

Robust + Flexible
Firm mounting with snap fit design
Dust covers for protection
during construction and painting



Removal and
Mounting Indicators



Ease of Installation

Facilitate easy mounting & removal
of accessories without detaching the
inner frame from the metal box.




Adjustable
Mounting System



Secure Lock


Hospitality Range

The Elusio collection is available in sizes ranging from 1M to 18M. The range goes amazingly well with all themes of interiors.




Power protection range


While these switches enhance the decor, you can rest assured they are safe too.



Price Schedule

Switches	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20113	85361010	6AX Switch SP 1 way	6AX	1M	125	164	189	20
	CE20114	85361010	6AX Switch SP 1 way with Indicator	6AX	1M	162	186	214	
	CE20123	85361010	6AX Switch SP 2 way	6AX	1M	178	202	232	
	CE20568	85361010	10AX Switch SP 1 way	10AX	1M	144	189	217	
	CE20569	85361010	10AX Switch SP 1 way with Indicator	10AX	1M	186	214	246	
	CE20571	85361010	10AX Switch SP 2 way	10AX	1M	205	232	267	
	CE20573	85361020	16AX Switch SP 1 way	16AX	1M	170	194	223	
	CE20574	85361020	16AX Switch SP 1 way with Indicator	16AX	1M	224	240	276	
	CE20578	85361020	16AX Switch SP 2 way	16AX	1M	250	274	315	
	CE20580	85361020	20AX Switch SP 1 way	20AX	1M	196	223	256	
	CE20581	85361020	20AX Switch SP 2 way	20AX	1M	288	315	362	10
	CE20584	85361020	20AX Switch SP 1 way with Indicator	20AX	1M	258	276	317	
	CE20115	85361010	6AX Switch SP 1 way with Indicator	6AX	2M	210	225	259	
	CE20124	85361010	6AX Switch SP 2 way	6AX	2M	203	243	280	
	CE20570	85361010	10AX Switch SP 1 way with Indicator	10AX	2M	242	259	298	
	CE20572	85361010	10AX Switch SP 2 way	10AX	2M	233	279	322	
	CE20575	85361020	16AX Switch SP 1 way with Indicator	16AX	2M	221	261	300	
	CE20579	85361020	16AX Switch SP 2 way	16AX	2M	258	298	343	
	CE20582	85361020	20AX Switch SP 1 way	20AX	2M	240	270	340	
	CE20583	85361020	20AX Switch SP 2 way	20AX	2M	297	343	394	
	CE20121	85361020	32 A DP Switch with Indicator	32A	2M	615	797	916	

Bellpush Switches	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20509	85361010	6A Bell Push Switch	6A	1M	137	160	184	20
	CE20508	85361010	6A Bell Push Switch with Indicator	6A	1M	164	188	216	
	CE20510	85361010	6A Bell Push Switch	6A	2M	160	199	229	10
	CE20511	85361010	6A Bell Push Switch with Indicator	6A	2M	188	227	261	

Blanking / Phase Indicator	Product Code	HSN Code	Description		Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20056	85361010	Blanking plate		1M	44	54	62	40
	CE20631	85361010	Phase Indicator Red		1M	298	-	-	20

Fan Regulator / Dimmer	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20827	85361010	4 step Fan Regulator	100W	1M	446	466	535	20
	CE20828	85361010	5 Step Fan Regulator	120W	2M	749	794	887	10
	CE20826	85361010	5 step Fan Regulator	100W	2M	570	615	708	
	CE20804	85361010	Rotary Dimmer	300W	1M	618	664	763	20
	CE20801	85361010	Rotary Dimmer	500W	2M	716	795	915	10

Sockets	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20370	85361020	6A 3 Pin Socket	6A	2M	175	287	330	10
	CE20352	85361020	6/16A Socket - Flushed	6/16A	2M	289	345	396	
	CE20354	85361020	6/16A Socket - Projected	6/16A	2M	305	362	416	
	*CE20358	85361020	13A Universal Socket	13A	2M	175	287	330	

TV / Tel. / Com. / HDMI / VGA / USB / Night Lamp / Skirt Light	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
	CE20228	85361010	TV Socket		1M	107	129	148	20
	CE20251	85361010	RJ 11 Telephone Socket		1M	101	124	142	
	CE20272	85361010	RJ 45 Cat 6 Computer Socket	Cat 6	1M	1021	1060	1219	
	CE20273	85361010	RJ 45 Cat 6a Computer Socket	Cat 6a	1M	2005	2039	2345	
	CE20276	85361010	HDMI socket		1M	1228	1410	1622	10
	CE20277	85361010	VGA socket		1M	1223	1350	1553	
	CE20275	85044030	USB charger socket 2.1A (Fast charging)	2.1A, A type	1M	1109	1404	1615	20
	CE20633	94051090	Night Lamp		2M	450	490	564	10
	CE20632	94051090	Skirt light with LED		2M	623	680	782	

Note: *Material available till stock last.

Single Phase Motor Starter	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
 CE20364	CE20364	85361020	Motor Starter 16A	16A	2M	671	726	835	10
	CE20366	85361020	Motor Starter 25A	25A	2M	671	726	835	

Hospitality	Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Color	Elusio Green	
 CE20610 CE20609 CE20636 CE20825	CE20611	85361010	DND/CMR internal unit	1M	366	390	449	10
	CE20610	85361010	DND/CMR external unit	1M	586	599	689	
	CE20609	85361010	DND/MMR Indicator	1M	419	450	518	20
	CE20116	85361010	6AX Switch SP 1 way MMR	1M	160	165	190	
	CE20125	85361010	6AX Switch SP 2 way DND	1M	210	215	247	
	CE20636	85361010	Buzzer	1M	605	680	782	
	CE20825	85361010	16A Electronic Key Card Switch	2M	12750	14500	16675	3

MCB'S	Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
						White	Color	Elusio Green	
 CE20436 CE20440	CE20431	85361010	MCB 6A Single Pole 4.5kA	6A, C Curve	1M	398	433	498	12
	CE20432	85361010	MCB 10A Single Pole 4.5kA	10A, C Curve	1M	398	433	498	
	CE20433	85361010	MCB 16A Single Pole 4.5kA	16A, C Curve	1M	398	433	498	
	CE20437	85361010	MCB 20A Single Pole 4.5kA	20A, C Curve	1M	398	433	498	
	CE20435	85361010	MCB 25A Single Pole 4.5kA	25A, C Curve	1M	398	433	498	
	CE20436	85361010	MCB 32A Single Pole 4.5kA	32A, C Curve	1M	398	433	498	
	CE20438	85361010	MCB 6A Double Pole 4.5kA	6A, C Curve	2M	819	875	1006	6
	CE20439	85361010	MCB 10A Double Pole 4.5kA	10A, C Curve	2M	819	875	1006	
	CE20440	85361010	MCB 16A Double Pole 4.5kA	16A, C Curve	2M	819	875	1006	
	CE20441	85361010	MCB 20A Double Pole 4.5kA	20A, C Curve	2M	819	875	1006	
	CE20442	85361010	MCB 25A Double Pole 4.5kA	25A, C Curve	2M	819	875	1006	
	CE20443	85361010	MCB 32A Double Pole 4.5kA	32A, C Curve	2M	819	875	1006	

Cover Plate with Support Plate	Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Color	Elusio Green	
 CE25803WH	CE25801WH	85381010	Cover & Support Plate	1M	119	239	275	10
	CE25802WH	85381010	Cover & Support Plate	2M	123	234	269	
	CE25803WH	85381010	Cover & Support Plate	3M	153	295	339	
	CE25804WH	85381010	Cover & Support Plate	4M	181	352	405	
	CE25806WH	85381010	Cover & Support Plate	6M	251	553	635	
	CE25808WH	85381010	Cover & Support Plate-Horizontal	8M	307	621	714	
	CE25809WH	85381010	Cover & Support Plate-Vertical	8MV	316	630	725	5
	CE25812WH	85381010	Cover & Support Plate	12M	526	1125	1294	
	CE25816WH	85381010	Cover & Support Plate	16M	540	1212	1394	
	CE25818WH	85381010	Cover & Support Plate	18M	682	1284	1477	

Note: For ordering color accessories suffix CB for Charcol Black, DG for Dark Grey, CZ for Champagne, JG for Elusio Green e.g. for ordering one module Charcol Black plate, the code would be CE25801CB
Phase indicator item code is the same for all colors (Code is CE20631)

General Terms & Conditions

- Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All prices are in Indian Rupees.